

NU-126 Vertical Airflow Clean Workstation

The AireGard NU-126 Vertical Laminar Airflow Workstations are designed to provide the ideal particle-free, bacteria-free clean-air environment needed for laboratory work, testing, manufacturing, inspection, or pharmaceutical procedures. The exclusive design innovations built into the NU-126 will provide exceptional performance in the most demanding environments.

Applications

Life Science Research

Use with a thermal cycler, small centrifuge, or other types of small equipment where clean air is a requirement.

Pharmacy

For use in the sterile preparations of an IV Admixture, Antibiotics, or other drugs.

Animal or Plant

For work involving procedures requiring work-in-progress protection from outside potentially harmful contaminants.

Testing Manufacturing or Inspections



- Room Air
- HEPA Filtered Clean Air



NU-126

Standard Sizes

Catalog Number	NU-126-300/E	NU-126-400/E	NU-126-600/E
Overall Dimensions, Inches (mm)			
Width	30 (762)	42 (1067)	71 5/8 (1818)
Depth	22 (559)	22 (559)	26 7/8 (684)
Height	44 (1118)	44 (1118)	50 5/8 (1285)
Work Area Dimensions: Inches (mm)			
Width	29 (737)	41 (1041)	70 5/8 (1794)
Depth	21 3/4 (552)	21 3/4 (552)	26 5/8 (675)
Height	24 (610)	24 (610)	28 3/8 (721)

Note: Specifications are subject to change. Dimensions have changed with series 21. Please contact NuAire before purchase.

Standard Features

Vertical Airflow-Product Protection	Fiberglass Pre-filters
Fluorescent Lighting	90 FPM (.46 m/s) Down Flow Air Velocity
Clear Acrylic Side Walls	White Formica Work Surface
Clear Polycarbonate Viewing Window	99.99% HEPA
Hinged View Screen w/AutoLift	8.5" Access Opening
Two Service Ports	Minihelic® Pressure Gauge Indicates Filter Load
HEPA Filtered Airflow	FlowGard Pressure Monitor (NU-126-600/E)

Optional Features

Energy Saver EC Impeller Motor	36" (914 mm) Base Support Stand
Service Vales for Gas, Air, Vacuum	Front Closure Panel
Stainless Steel Work Surface	
IV Bar with Six Hooks	
Ultraviolet (Germicidal) Lamp	
30" (762 mm) Base Support Stand	

